



PRODUCT CATALOG



About Us

Founded in Istanbul in 1989, our company began its operations in the sector by producing forklift rims. In response to increasing demand and needs, the company expanded its product range to include rims for construction equipment, tractors, agricultural vehicles, airport and port equipment, and military and special vehicle rim.

As of 2019, it moved its production to its modern 16,500 m² facility in Çanakkale, increasing its capacity with its extensive machinery. Exporting to more than 30 countries, from Germany to Egypt, Italy to Azerbaijan, it continues its global growth.

With its customer-specific production capabilities and a technical staff with nearly 40 years of experience, our company fulfills orders of all sizes with quality and speed. Committed to quality, trust, and customer satisfaction, our company has become a preferred brand in many parts of the world thanks to its strong infrastructure, innovative approach, and extensive product range. Our goal is to expand this success to more countries.



5 Sectors

We manufacture 3,000 different types of rims.

Agricultural
Rims



Construction Machinery
Rims



Industrial Vehicle
Rims



Forklift
Rims



Military Vehicle
Rims





+4

CONTINENT

+30

COUNTRY

+1000

EXPORTATION

" WE DELIVER THOUSANDS OF SHIPMENTS TO MANY COUNTRIES AROUND THE WORLD, SERVING A WIDE RANGE OF INDUSTRIES."



astenjant.com.tr



asten@astenjant.com.tr

Agricultural Rims



astenjant.com.tr



asten@astenjant.com.tr



Agricultural Machinery Rims


RIM DIMENSIONS	TIRE DIMENSIONS
4.50 X 12	7.00-12
7.00 X 12	10/80-12
8.50 X 12	23X10.5-12
10.50 X 12	26X12-12
9.00 X 15.3	10.0/75-15.3 - 12.5/80-15.3
13 X 15.5	400/60-15.5
4.5 X 16	6.00-16
5.5 X 16	7.50-16
6.5 X 16	9.00-16
W8 X 16	280/70-16
14.00 X 16.1	16.5-16.1
13 X 17	440/50-17
16 X 17	500/50-17
6.00 X 17.5	215/75-17.5
6.75 X 17.5	245/75-17.5
5.5 X 18	7.50-18
W8 X 18	280/70-18
7.50 X 19.5	285/70-19.5
14.00 X 19.5	445/50-19.5
W5.5 X 20	7.50-20
W9 X 20	280/70-20 - 11.2R20
W10 X 20	280/85R20 - 320/85R20
9.00 X 22.5	315/80-22.5



Tractor Rims

Narrow Rims

RIM DIMENSIONS	TIRE DIMENSIONS
W7 X 24	8.3-24 - 9.5-24
W8 X 24	250/85R24
W10 X 24	280/85R24 - 320/85R24
W12 X 24	340/85R24
W7 X 28	8.3-28 - 9.5-28
W8 X 28	9.5-28
W10 X 28	280/85R28 - 320/85R28
W12 X 28	340/85R28
W7 X 32	210/95R32 - 230/95R32
W8 X 32	230/95R32
W9 X 32	270/85R32
W10 X 34	320/85R34
W10 X 32	320/85R32
W7 X 36	8.3-36
W8 X 36	230/95R36
W9 X 36	270/85R36
W10 X 36	320/85R36
W11 X 36	320/85R36 - 340/85R36
W8 X 38	270/95R38
W9 X 38	270/95R38
W10 X 38	270/95R38
W12 X 38	340/85R38 - 380/85R38
W7 X 40	230/95R40 - 270/95R40
W8 X 40	230/95R40 - 270/95R40



Tractor Rims

Narrow Rims

RIM DIMENSIONS	TIRE DIMENSIONS
W7 X 42	210/95R42 - 230/95R42
W8 X 42	230/95R42
W9 X 42	300/85R42
W10 X 42	320/90R42
W7 X 44	210/95R44 - 230/95R44
W8 X 44	230/95R44 - 270/95R44
W9 X 44	270/95R44
W9 X 46	270/95R46-300/95R46
W10 X46	320/90R46
W11 X 46	340/85R46 - 380/90R46
W12 X 46	340/85R46 - 380/90R46
W8 X 48	230/95R48 - 270/95R48
W9 X 48	270/95R48
W10 X 48	340/85R48 - 270/95R48
W11 X 48	340/85R48
W9 X 50	320/90R50
W10 X 50	320/90R50
W12 X 50	380/90R50
W9 X 52	300/95R52
W10 X 52	320/95R52
W9 X 54	270/95R54
W10 X 54	320/90R54
W11 X 54	380/90R54 - 320/90R54
W12 X 54	380/90R54



Tractor Rims

Wide Rims

RIM DIMENSIONS	TIRE DIMENSIONS
W13 X 24	420/65R24
W14 X 24 / DW14 X 24	440/65R24
W15 X 24 / DW15 X 24	480/65R24
W13 X 28	420/65R28
W15 X 28	480/65R28
DW14 X 28	440/65R28 - 420/85R28
DW15 X 28	460/65R28 - 420/85R28
DW13 X 30	380/85R30
DW14 X 30	16.9-30 - 420/85R30
DW15 X 30	18.4-30 - 460/85R30
DW16 X 30	540/65R30 - 520/85R30
DW15 X 34	420/85R34 - 460/85R34
DW16 X 34	460/85R34
DW15 X 38	420/85R38 - 460/85R38
DW16 X 38	540/65R38 - 520/85R38
DW18 X 38	600/65R38
DW20 X 38	650/65R38
DW23 X 38	650/85R38 - 710/70R38
DW16 X 42	520/85R42
DW18 X 42	580/70R42
DW20 X 42	620/70R42
DW23 X 42	710/70R42
W14 X 46	420/80R46
DW25 X 46	710/60R46




Harvester Rims

RIM DIMENSIONS	TIRE DIMENSIONS
9 X 18	12.5/80 - 18
13 X 20	16/70 - 20
DW13 X 24	16/70 - 24
DW15 X 24	16.9 - 24
DW20 X 26	23.1 - 26
DW15 X 30	16.9 - 30
DW20 X 30	23.1 - 30
DW21 X 32	650/75 - 32
DW27 X 32	800/65 - 32
DW36 X 32	1050/50 - 32


Tractor Rims Applications




Tractor Rim Hub Connection Types



Crown Type
Rims





Omega Type
Rims




L Connection Type
Rims

Fully Welded
Type Rims



Double-Tyre Applications Spacer



SPACER 4 - Fully Welded
Type Rims



SPACER 5 - L Connection
Type Rims




SPACER 1 - Crown
Type Rims

Agricultural Rim Types




**CROWN TYPE
RIMS**

**OMEGA TYPE
RIMS**



Construction Machinery Rims






Construction Machinery Rims

Loader Rims

RIM DIMENSIONS	TIRE DIMENSIONS
12.00 X 25/1,3 3PC TUBELESS	15.5 R25
14.00 X 25/1,5 3PC TUBELESS	17.5 R25
17.00 X 25/1,7 3PC TUBELESS	20.5 R25
19.50 X 25/2,5 3PC TUBELESS	23.5 R25
22.00 X 25/3,0 3PC TUBELESS	26.5 R25
25.00 X 25/3,5 3PC TUBELESS	29.5 R25
19.50 X 25/2,5 5PC TUBELESS	23.5 R25
22.00 X 25/3,0 5PC TUBELESS	26.5 R25
25.00 X 25/3,5 5PC TUBELESS	29.5 R25

Grader Rims

RIM DIMENSIONS	TIRE DIMENSIONS
8.0VA X 24 3PC	1300-24
10.0VA 24 3PC	1400-24
9.00 X 24 MONOBLOC TUBELES	14.0 R24
13.00 X 25 MONOBLOC TUBELESS	17.5 R25
12.00 X 25/1,3 3PC TUBELESS	15.5 R25
14.00 X 25/1,5 3PC TUBELESS	17.5 R25
17.00 X 25/1,7 3PC TUBELESS	20.5 R25



Construction Machinery Rims


Backhoe Loader Rims

RIM DIMENSIONS	TIRE DIMENSIONS
9 X 18	12.5/80 - 18
11 X 18	12.5/80 - 18
11 X 20	14.5/80 - 20
13 X 20	16/70 - 20
13 X 24	15.5/80 - 24
DW14 X 24	16.9 - 24
DW15 X 24	16.9 - 24
DW16 x 26	18.4 - 26
DW14 X 28	16.9 - 28
DW15 X 28	16.9 - 28
DW14 X 30	16.9 - 30


Mini Loader Rims

RIM DIMENSIONS	TIRE DIMENSIONS
7.00 X 12	23X8.5 - 12
7.00 X 15	27X8.5 - 15
8.25 X 16.5	10 - 16.5
9.75 X 16.5	12 - 16.5
10.5 X 17.5	14 - 17.5
7.50 X 20	31X10 - 20 SOLID
7.50 X 20	33X12 - 20 SOLID
7.50 X 20	36X14 - 20 SOLID

Construction Machinery Rim Types



**FIVE PIECES
RIMS**



**THREE PIECES
RIMS**

Forklift Rims






Forklift Rims

Lock&Side Ring Rims

RIM DIMENSIONS	TIRE DIMENSIONS
3.00 X 8	5.00 - 8 - 15X4.5-8
4.33 X 8	16X6-8 - 18X7-8
4.00 X 9	6.00-9 - 140/55-9
6.00 X 9	21X8-9
5.00 X 10	6.50-10 - 180/60-10
6.50 X 10	200/50-10 - 23X9-10
5.00 X 12	7.00-12
8.00 X 12	23X10-12 - 27X10-12
10.00 X 12	315/45-12
4.50 X 15	6.00-15
5.50 X 15	7.00-15
6.50 X 15	7.50-15 - 8.25-15
7.00 X 15	28X9-15 - 8.15-15 - 2.50-15
8.00 X 15	3.00-15
9.75 X 15	355/65-15 - 28X12.5-15
6.00 X 16	7.50-16
7.00 X 20	9.00-20
7.50 X 20	10.00-20
8.00 X 20	10.00-20 - 11.00-20
8.50 X 20	12.00-20
8.50 X 24	12.00-24




Forklift Rims

Split (Two Pieces) Rims


RIM DIMENSIONS	TIRE DIMENSIONS
3.00 X 8	4.00-8 - 5.00-8 - 15X4.5-8
3.75 X 8	4.00-8
4.33 X 8	16X6-8 - 18X7-8
4.00 X 9	6.00-9 - 140/55-9
5.00 X 10	6.50-10
6.50 X 10	200/-50-10 - 23X9-10
5.00 X 12	7.00-12
3.75 X 13	23X5(-13) - 150/100-13
5.50 X 15	700-15

Forklift Rim Types



LOCK&SIDE RING
RIMS

SPLIT (TWO PIECES)
RIMS



Industrial Vehicle Rims





Industrial Vehicle Rims

Port & Tunnel & Mining Vehicles Rims

RIM DIMENSIONS	TIRE DIMENSIONS
8.50V - 20 3PC TUBELESS	12.00R20
10.0V - 20 3PC TUBELESS	14.00R20
8.50 X 20 4PC	12.00R20
10.00 X 20 4PC	355/50-20
8.50 X 24 4PC	12.00-24
10.00 X 24 4PC	1400-24
13.00 X 25/2,5 3PC TUBELESS	18.00 R25
13.00 X 33/2,5 3PC TUBELESS	18.00 R33
11.25 X 25/2,0 5PC TUBELESS	16.00 R25
13.00 X 25/2,5 5PC TUBELESS	18.00 R25
13.00 X 33/2,5 5PC TUBELESS	18.00 R33
15.00 X 35/3,0 5PC TUBELESS	21.00 R35

Maden Araç Jantları

Tunneling and Mining
Applications



22.00 X 25
5PC SEGMENTED

Articulated
Loaders



7.50 X 20
3PC SEGMENTED

Mini Underground
Trucks



6.50 X 15
3PC SEGMENTED

Underground
Loaders



10.00 X 20
4PC SEGMENTED



Maden Araç Jantları

Underground
Loaders



10.00 X 24
4PC SEGMENTED

Drilling & Underground
Haulage Equipment



8.50 X 20
3PC SEGMENTED

Underground
Loaders



8.50 X 24
4PC SEGMENTED

Articulated
Loaders





7.50 X 20
3PC SEGMENTED




Endüstriyel Jantları Tipleri

THREE PIECES RIMS



FOUR PIECES RIMS



FIVE PIECES RIMS

Military Vehicle Rims






Military Vehicle Rims

RIM DIMENSIONS	TIRE DIMENSIONS
8.25 X 16.5 1PC-2PC TUBELESS	37 X 12.5R16.5
9.75 X 16.5 1PC-2PC TUBELESS	37 X 12.5R16.5
9.00 X 18 1PC-2PC TUBELESS	13.00-18
10W X 20 1PC-2PC TUBELESS	14.00-20 - 395/85R20
10V X 20 1PC-2PC TUBELESS	14.00-20 - 395/85R20
11.00 X 20 1PC-2PC TUBELESS	12.5-20 - 365/80R20 - 335/80R20
11.25 X 20 1PC-2PC TUBELESS	16.00 R20
14.00 X 22.5 1PC-2PC TUBELESS	445/65 R22.5

Military Vehicle Rim Applications




Military Vehicle Rims Types



TWO PIECES
RIMS

MONOBLOC
RIMS







İSTANBUL HEADQUARTERS



İkitelli O.S.B. Metal-İs Industry
Site. Service Buildings, Block 5B,
Floor 3, D: 4, Başakşehir, İstanbul
- Türkiye



+90 212 671 62 71
+90 212 671 67 00



+90 212 671 88 34



asten@astenjant.com.tr



astenjant.com.tr



ÇANAKKALE FACTORY



Bursa Road, 6th Km, Organized
Industrial Zone, 1st Street, No. 30,
Karacaören, Çanakkale - Türkiye



+90 286 214 15 20



+90 286 214 15 21



asten@astenjant.com.tr



asten@astenjant.com.tr



Our Quality is
Your Strength